

Pro Power AUTO D VI

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier**

Product Name Pro Power Auto D VI
Product code C320

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Transmission Fluid.
Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet**Manufacturer**

Company Identification Rapid Group UK
Address of Manufacturer Rutland Mill,
Adelaide Street,
Bolton,
Postal code BL3 3NY
Telephone: 01204 324 268

Supplier

Company Identification Rapid Ireland
Address of Supplier Rock Street,
Tralee,
Co Kerry
Postal code V92 WR9P
Telephone: +353 151 363 47

1.4 Emergency telephone number

Emergency Phone No. 999
Contact NHS

SECTION 2: HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

Regulation (EC) No. 1272/2008 (CLP) Not classified as dangerous for supply/use.

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)
Product Name Pro Power Auto D VI
Hazard Pictogram(s) None.
Signal Word(s) None.
Hazard Statement(s) EUH208: Contains: (Dialkyl thiophosphate ester⁽¹⁾) May produce an allergic reaction.

Pro Power AUTO D VI

Precautionary Statement(s)

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

2.3 Other hazards

None known.

2.4 Additional Information

None.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

| HAZARDOUS INGREDIENT(S) | CAS No. | EC No. / REACH Registration No. | %W/W | Hazard Statement(s) | Hazard Pictogram(s) |
|--|-------------|---------------------------------|---------|---|---------------------|
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-basedBaseoil | 72623-86-0 | 276-737-9 | 70-90 | Asp. Tox. 1 H304 | GHS08 |
| Distillates (petroleum), hydrotreated heavy paraffinicBaseoil - unspecified[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces a finished oil of at least 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] | 64742-54-7 | 265-157-1 01-2119484627-25-XXXX | <3 | Not classified | None |
| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene | 68411-46-1 | 270-128-1 01-2119491299-23 | <3 | Not classified | None |
| O,O,O-triphenyl phosphorothioate | 597-82-0 | 209-909-9 01-2119979545-21 | <1 | Not classified | None |
| Dialkyl thiophosphate ester ⁽¹⁾ | 268567-32-4 | 01-2119658068-31 | 0.4-0.7 | Skin Sens. 1B H317 Eye Dam. 1 H318 Aquatic Chronic 3 H412 | GHS05 GHS07 |

Pro Power AUTO D VI

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

| | |
|--------------|---|
| Inhalation | If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| Skin Contact | Wash skin with water. |
| Eye Contact | Flush eyes with water for at least 15 minutes. |
| Ingestion | Do not induce vomiting wash out mouth with water. Get medical advice/attention if you feel unwell.. |

4.2 Most important symptoms and effects, both acute and delayed

None anticipated. Treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES**5.1 Extinguishing media**

| | |
|--------------------------------|-------------------------|
| Suitable Extinguishing media | Foam, CO2 or dry powder |
| Unsuitable extinguishing media | None. |

5.2 Special hazards arising from the substance or mixture

None anticipated. Heating may cause decomposition.

5.3 Advice for firefighters

As appropriate for surrounding fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Wear suitable gloves if prolonged skin contact is likely.

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

Ensure adequate ventilation. Wear protective clothing as per section 8. Do not eat, drink or smoke when using this product. Always wash hands before smoking, eating and drinking.

Pro Power AUTO D VI**7.2 Conditions for safe storage, including any incompatibilities**

| | |
|------------------------|--|
| Storage temperature | Store in a well-ventilated place. Keep cool. |
| Storage life | Stable under normal conditions. |
| Incompatible materials | Oxidizing agents. |

7.3 Specific end use(s)

Transmission Fluid.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

| | |
|------------------------------------|--|
| 8.1.1 Occupational Exposure Limits | No Occupational Exposure Limit assigned. |
|------------------------------------|--|

8.2 Exposure controls

| | |
|---|------------------------------|
| 8.2.1. Appropriate engineering controls | Ensure adequate ventilation. |
| 8.2.2. Personal protection equipment | |



Eye Protection Wear eye protection with side protection (EN ISO 16321-1).



Skin protection Wear Impervious Gloves (EN374)



Respiratory protection Normally no personal respiratory protection is necessary.



Thermal hazards None known.

| | |
|--|--|
| 8.2.3. Environmental Exposure Controls | Do not release large quantities into the surface water or into drains. |
|--|--|

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

| | |
|--|-----------------------|
| Physical state | Liquid. |
| Colour | Red. |
| Odour | Characteristic odour. |
| Melting point/freezing point | Not known. |
| Boiling point or initial boiling point and boiling range | Not known. |
| Flammability | Not known. |
| Lower and upper explosion limit | Not known. |
| Flash Point | Not known. |
| Auto-ignition temperature | Not known. |
| Decomposition Temperature | Not known. |
| pH | Not known. |
| Kinematic Viscosity | Not known. |

Pro Power AUTO D VI

| | |
|---|---------------------------------|
| Solubility | Solubility (Water) : Not known. |
| | Solubility (Other) : Not known. |
| Partition coefficient n-octanol/water (log value) | Not known. |
| Vapour pressure | Not known. |
| Density and/or relative density | Not known. |
| Relative vapour density | Not known. |
| Particle characteristics | Not known. |

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity**

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

Oxidizing agents.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

| | |
|--------------------------------|--------------------------------------|
| Acute toxicity - Ingestion | Calculation method : Not classified. |
| Acute toxicity - Skin Contact | Calculation method : Not classified. |
| Acute toxicity - Inhalation | Calculation method : Not classified. |
| Skin corrosion/irritation | Calculation method : Not classified. |
| Serious eye damage/irritation | Calculation method : Not classified. |
| Skin sensitization data | Calculation method : Not classified. |
| Respiratory sensitization data | Calculation method : Not classified. |
| Germ cell mutagenicity | Calculation method : Not classified. |
| Carcinogenicity | Calculation method : Not classified. |
| Reproductive toxicity | Calculation method : Not classified. |
| Lactation | Calculation method : Not classified. |
| STOT - single exposure | Calculation method : Not classified. |
| STOT - repeated exposure | Calculation method : Not classified. |
| Aspiration hazard | Self classification: Not classified. |

11.2 Information on other hazards

Not known.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

| | |
|------------------------------------|--------------------------------|
| Toxicity - Aquatic invertebrates | Low toxicity to invertebrates. |
| Toxicity - Fish | Low toxicity to fish. |
| Toxicity - Algae | Low toxicity to algae. |
| Toxicity - Sediment Compartment | Not classified. |
| Toxicity - Terrestrial Compartment | Not classified. |

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Endocrine disrupting properties

None known.

12.7 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Dispose at suitable refuse site. Dispose of contents in accordance with local, state or national legislation. Dispose of this container to hazardous or special waste collection point. Avoid release to the environment.

13.2 Additional Information

No special precautions are required for this product.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number or ID number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Pro Power AUTO D VI

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Maritime transport in bulk according to IMO instruments

Not known

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not listed

REACH: ANNEX XIV list of substances subject to authorisation Not listed

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Carcinogens: category 1B (64742-54-7), Carcinogens: category 1B (72623-86-0), Dialkyl thiophosphate ester⁽¹⁾ (268567-32-4)

Community Rolling Action Plan (CoRAP) Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1), O,O,O-triphenyl phosphorothioate (597-82-0)

Regulation (EU) N° 2019/1021 of the European Parliament and of the Council on persistent organic pollutants Not listed

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

National regulations

Other Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND**HAZARD PICTOGRAM(S)**

None.

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)

None.

GHS05: GHS: Corrosion

GHS07: GHS: Exclamation mark

GHS08: GHS: Health hazard

Pro Power AUTO D VI

| | |
|--|---|
| Hazard classification | Asp. Tox. 1 : Aspiration hazard, Category 1 Skin Sens. 1B : Skin sensitization, Category 1B Eye Dam. 1 : Serious eye damage/irritation, Category 1 Aquatic Chronic 3 : Hazardous to the aquatic environment, Chronic, Category 3 |
| Hazard Statement(s) | H304: May be fatal if swallowed and enters airways. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H412: Harmful to aquatic life with long lasting effects. |
| Precautionary Statement(s) | None. |
| Acronyms | ATE : Acute Toxicity Estimate CAS : Chemical Abstracts Service CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures DNEL : Derived No Effect Level EC : European Community EINECS : European Inventory of Existing Commercial Chemical Substances LTEL : Long term exposure limit PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals STEL : Short term exposure limit STOT : Specific Target Organ Toxicity vPvB : very Persistent and very Bioaccumulative |
| Key literature references and sources for data used to compile the SDS | Regulation (EC) No. 1272/2008 (CLP) |
| Training Advice | Regular safety training as appropriate |
| Disclaimers | Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Rapid Group UK gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Rapid Group UK accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed. |