

PRO+POWER ULTRA

TECHNICAL DATA SHEET

Pro Power 10W-40 CV LS 20 Litre

Product Description

Pro Power Ultra 10W-40 CV LS is a fully synthetic Low SAPS engine oil designed for use in Euro 4, 5 & 6 engines. Suitable for truck, bus, coach, off highway and agricultural applications. Suitable for use with exhaust gas re-circulation (EGR), selective catalytic reduction (SCR / Adblue) and diesel particulate filters (DPF)

Recommended for use by Pro Power for the following manufacturer's specifications

ACEA: E6, E7 & E9
API: CI-4
Cummins: CES 20076 & CES 20077
DAF: Extended Drain
DEUTZ: DQC III-10, DQC III-10 LA & DQC IV-10 LA
Mack: EO-M+ & EO-N
MAN: 3271-1 & 3477
MB: 228.51
MTU Type 3.1
Renault Truck: RGD & RXD
RVI: RLD-2
Volvo: VDS-3



Size	Part No	Barcode
20 Litre	D260-020	5020618211372

Product Benefits

- * Premium additives to help control soot and sludge levels in the oil
- * Ideal for use in severe conditions with extended drain intervals
- * Not suitable for use in petrol engines

Product Usage

Use as per the engine manufacturers recommendations.

Storage Instructions

Store sealed and upright in a cool dry place & out of the reach of children.

Revision: 1 | Date: 16/10/2024

For further information visit www.propoweroil.com

EXPERTS IN HIGH QUALITY OIL

MAINTAINS OEM WARRANTY*

PRO+POWER ULTRA

TECHNICAL DATA SHEET

Pro Power 10W-40 CV LS 20 Litre

Shelf Life

5 Years from date of manufacture.

Appearance	:	Amber liquid
Odour	:	Characteristic
Solubility	:	Insoluble in water
Percentage of Biodiesel	:	Nil

Test	Method	Unit	Min.	Max.	Typical
Viscosity, Kinematic 100°C	ASTM D445	mm ² /s	12.5	<16.3	14.93
Viscosity, CCS	ASTM D4684	mPa.s		7000	
Total Base Number	ASTM D2896	mg KOH/g	10		11.87
Pour Point	ASTM D97	°C		-35	
HTHS Viscosity	ASTM D4683	mPa.s	3.9		
NOACK Volatility	ASTM D5800	%		12	
Viscosity, Kinematic 40°C	ASTM D445	mm ² /s			99.93
Density	ASTM D792	@ 15°C			0.859

Safety Precautions

Please see our latest EC Safety Data Sheets for details.

Transport Classification

Please see our latest EC Safety Data Sheets for details.

Revision: 1 | Date: 16/10/2024

For further information visit www.propoweroil.com

EXPERTS IN HIGH QUALITY OIL

MAINTAINS OEM WARRANTY*