## **TECHNICAL DATA SHEET**

#### **Pro Power**

### **0W-20 ECO JLR**

1 Litre & 5 Litre

#### **Product Description**

Pro Power Ultra 0W-20 ECO JLR is a fully synthetic low SAPS, fuel efficient motor oil suitable for use in both petrol and diesel engines, designed to give maximum protection to diesel particulate filters (DPF's). Recommended for many modern Jaguar, Land Rover, Mercedes-

Benz, Hyundai, Kia, Toyota and others. Suitable for use in modern Jaguar Land Rover vehicles fitted with petrol engines including 2.0L, 3.0L V6 and 5.0 V8 models.

# Recommended for use by Pro Power for the following manufacturer's specifications

ACEA: C5 API: SN

MB: 229.71 & 229.72 STJLR: .51.5122

#### **Product Benefits**

- \* Advanced fully synthetic engine oil
- \* Excellent fuel efficiency
- \* Exceptional low temperature characteristics meaning that the oil circulates quickly even in the most demanding cold start conditions

#### **Product Usage**

Use as per engine manufacturers recommendations.

#### **Storage Instructions**

Store sealed and upright in a cool dry place & out of the reach of children.

#### Shelf Life

5 Years from date of manufacture.

Appearance : Amber liquid

Odour : Characteristic

Solubility : Insoluble in water

Revision: 1 | Date: 16/10/2024



# **TECHNICAL DATA SHEET**

### **Pro Power**

### **0W-20 ECO JLR**

1 Litre & 5 Litre

Percentage of Biodiesel : Nil

Test	Method	Unit	Min.	Max.	Typical
Viscosity, Kinematic 100°c	ASTM D445	mm²/s	7.8	<9.3	8.52
Viscosity, CCS	ASTM D4684	mPa.s		<6200	5812
Total Base Number	ASTM D2896	mg KOH/g	8		
Pour Point	ASTM D97	°c		-48	
HTHS Viscosity	ASTM D4683	mPa.s	2.8	<2.9	
NOACK Volatility	ASTM D5800	%		11	
Viscosity, Kinematic 40°c	ASTM D445	mm²/s			45.452
Density	ASTM D792	@ 15°c			0.845

#### **Safety Precautions**

**EXPERTS IN HIGH QUALITY OIL** 

Please see our latest EC Safety Data Sheets for details.

#### **Transport Classification**

Please see our latest EC Safety Data Sheets for details.

Revision: 1 | Date: 16/10/2024